

B600/700/800 Series


The B600/700/800 Series are Schlage's highest grade deadbolt locks. Choose the 600 for Grade 1 security in high-traffic commercial applications. Choose the 700 or 800 and get standard a Primus XP controlled access cylinder (700) or Primus XP high security cylinder with UL 437 rating (800). A variety of functions and finishes makes the B600/700/800 Series a versatile choice for added security no matter where you use it.

Pictured here: B600 (Grade 1) deadbolt with D Series Orbit knob shown in 626 satin chrome



The toughest deadbolts in the business

- 1" (25 mm) throw, high-strength steel alloy deadbolt with hardened steel roller resists sawing and kick-in attacks
- Precision-built solid brass 6-pin cylinders with phosphor bronze springs and nickel silver pins ensure long life and smooth operation
- Tough nickel silver keys for smooth, long-lasting operation
- Exclusive concealed wood frame reinforcer protects wood jamb against kick-in attacks
- Free-spinning solid cylinder collar resists wrenching and prying
- Large inside Americans with Disabilities Act (ADA) compliant thumbturn makes it easy to throw and retract deadbolt
- Metal shield protects bolt from ice-pick attack through the door
- Hardened steel ball-bearings protect mounting bolts from drill attack
- Meets UL10B and UL10C requirements



Deadbolt designs

B600 Series

Schlage's toughest heavy duty Grade 1 commercial deadbolt.

Furnished with conventional cylinder standard.

Also available with full size interchangeable core cylinder or small format interchangeable core (SFIC) cylinder.

Requires 2 1/8" (54mm) prep. UL10B and UL 10C listing standard for auxiliary lock on A label fire doors. Not all functions available as fire rated auxiliary locks. See function charts for required cross bore dimensions.



B700 Series


Same lock as B600 Series but furnished with Primus XP controlled access cylinder for patented key control, geographical exclusivity and resistance to picking and impressioning. Also available with Primus XP full size interchangeable core cylinder.












B800 Series

Same lock as B700 Series but Primus XP high security cylinder is UL437 listed to resist drilling and other forms of physical attack. Not available in interchangeable core.

All designs shown in 626 satin chrome



Deadbolt finishes

											
	605 Bright brass	606 Satin brass	609 Antique brass	612 Satin bronze	613 Oil rubbed bronze	619 Satin nickel	622 Matte black	625 Bright chromium plated	626 Satin chromium plated	626AM Anti- microbial coating	643e Aged bronze
B600/700/800											
B600	•	•	•	•	•	•	•	•	•	•	•
B700	•	•	•	•	•	•	•	•	•	•	•
B800	•	•	•	•	•	•	•	•	•	•	•

e = an equivalent finish to the BHMA standard.

Schlage
B662P* ANSI
E0141

Double cylinder deadbolt

- Deadbolt thrown or retracted by key on either side

Outside Inside



Schlage
B663P ANSI
E0171

Classroom deadbolt

- Deadbolt thrown only by key outside.
- Deadbolt retracted by key outside or thumbturn inside

Outside Inside



Schlage
B664P ANSI
E0101

Cylinder only deadbolt

- Deadbolt thrown or retracted by key one side
- No trim on inside
- 1 1/2" bore only¹

Outside Inside



Schlage
B680 ANSI
E0191

Door bolt

- Deadbolt thrown or retracted by thumbturn inside
- No outside trim
- 1 1/2" bore only¹

Outside Inside



Schlage
B762P* ANSI
E0141

Double cylinder deadbolt

- Deadbolt thrown or retracted by key on either side

Outside Inside



Schlage
B763P ANSI
E0171

Classroom deadbolt

- Deadbolt thrown only by key outside
- Deadbolt retracted by key outside or thumbturn inside

Outside Inside



Schlage
B764P ANSI
E0101

Cylinder only deadbolt

- Deadbolt thrown or retracted by key one side
- No trim on inside
- 1 1/2" bore only¹

Outside Inside



Schlage
B862P* ANSI
E0141

Double cylinder deadbolt

- Deadbolt thrown or retracted by key on either side

Outside Inside



Schlage
B863P ANSI
E0171

Classroom deadbolt

- Deadbolt thrown only by key outside
- Deadbolt retracted by key outside or thumbturn inside

Outside Inside



Schlage
B864P ANSI
E0101

Cylinder only deadbolt

- Deadbolt thrown or retracted by key one side
- No trim on inside
- 1 1/2" bore only¹

Outside Inside



1. See template for details